

SI base units

Magnitude	Unit	Symbol
Length	metre	m
Mass	kilogram	kg
Time	second	s
Electric current	ampere	A
Thermodynamic temperature	kelvin	K
Luminous intensity	candela	cd
Amount of substance	mole	mol

SI complementary units

Magnitude	Unit	Symbol
Plane angle	radian	rad
Solid angle	steradian	sr

Length

The metre is the length of the path travelled by light in vacuum during a time interval of $1/299\,792\,458$ of a second.

Mass

The kilogram is the unit of mass; it is equal to the mass of the international prototype of the kilogram.

Time

The second is the duration of $9\,192\,631\,770$ periods of the radiation corresponding to the transition between the two hyperfine levels of the ground state of the caesium 133 atom.

Electric current

The ampere is that constant current which, if maintained in two straight parallel conductors of infinite length, of negligible circular cross-section, and placed 1 metre apart in vacuum, would produce between these conductors a force equal to 2×10^{-7} Newton per metre of length.

Thermodynamic temperature

The kelvin, unit of thermodynamic temperature, is the fraction $1/273.16$ of the thermodynamic temperature of the triple point of water.

Luminous intensity

The candela is the luminous intensity, in a given direction, of a source that emits monochromatic radiation of frequency 540×10^{12} Hz and that has a radiant intensity in that direction of $1/683$ watt per steradian.

Amount of substance

1. The mole is the amount of substance of a system which contains as many elementary entities as there are atoms in 0.012 kilogram of carbon 12; its symbol is "mol".
2. When the mole is used, the elementary entities must be specified and may be atoms, molecules, ions, electrons, other particles, or specified groups of such particles.

Plane angle

The radian is defined as the plane angle subtended at the center of a circumference of radius r by a portion of the arc of length r .

Solid angle

The steradian is defined as the solid angle subtended at the center of a sphere of radius r by a portion of the surface of the sphere having an area r^2 .