







A = Area, P = Perimeter, V = Volume

Plane shapes

<p>Square</p> 	$A = a^2$ $P = 4a$	<p>Internal angle <math>\alpha = 90^\circ</math></p> <p>External angle <math>\beta = 90^\circ</math></p> <p>Number of diagonals <math>ND = 2</math></p>
<p>Rectangle</p> 	$A = b \cdot h$ $P = 2b + 2h$	
<p>Parallelogram</p> 	$A = b \cdot h$ $P = 2b + 2a$	
<p>Rhombus</p> 	$A = \frac{d \cdot D}{2}$ $P = 4a$ $4a^2 = d^2 + D^2$	
<p>Trapezoid (trapezium)</p> 	$A = \frac{b + B}{2} h$ $P = a + b + B + c$	

Right trapezoid




$$A = \frac{b+B}{2}h$$

$$P = a + b + B + h$$

$$a^2 = (B - b)^2 + h^2$$

Equilateral triangle



$$A = \frac{a \cdot h}{2} = \frac{\sqrt{3}}{4}a^2$$


Internal angle  $\alpha = 60^\circ$

$$P = 3a, \quad h = \frac{\sqrt{3}}{2}a$$

External angle  $\beta = 120^\circ$

Number of diagonals  $ND = 0$

Isosceles triangle




$$A = \frac{b \cdot h}{2} = \frac{a \cdot b \cdot \sin A}{2}$$

$$P = 2a + b, \quad h = a \cdot \sin A$$

$$4a^2 = 4h^2 + b^2$$

Scalene triangle




$$A = \frac{b \cdot h}{2}$$

$$P = a + b + c$$

$$h = c \cdot \sin A = a \cdot \sin C$$

Right triangle



$$A = \frac{b \cdot a}{2}$$


$$a = c \cdot \sin A = c \cdot \cos B$$

$$P = a + b + c$$

$$b = c \cdot \sin B = c \cdot \cos A$$

$$c^2 = a^2 + b^2$$

Regular pentagon



$$A = \frac{5 \cdot a \cdot b}{2} = \frac{5}{8}r^2 \sqrt{10 + 2\sqrt{5}} = \frac{5}{2}r^2 \cdot \sin 72^\circ$$

$$P = 5b$$

$$4r^2 = 4a^2 + b^2$$






Internal angle  $\alpha = 108^\circ$

$$b = \frac{r}{2} \sqrt{10 - 2\sqrt{5}} = 2r \cdot \sin 36^\circ$$


External angle  $\beta = 72^\circ$

$$a = \frac{r}{4} \sqrt{6 + 2\sqrt{5}} = r \cdot \cos 36^\circ$$

Number of diagonals  $ND = 5$

<p>Regular hexagon</p> 	$A = \frac{3\sqrt{3}}{2} b^2 = 3b^2 \cdot \sin 60^\circ$ $P = 6b$ $a = \frac{\sqrt{3}}{2} b = b \cdot \cos 30^\circ$	<p>Internal angle <math>\alpha = 120^\circ</math></p> <p>External angle <math>\beta = 60^\circ</math></p> <p>Number of diagonals <math>ND = 9</math></p>
<p>Regular octagon</p> 	$A = 4 \cdot a \cdot b = 8 \cdot a^2 \cdot \tan 22.5^\circ = (8\sqrt{2} - 8) a^2 = \frac{2b^2}{\tan 22.5^\circ} = \frac{2b^2}{\sqrt{2} - 1}$ $P = 8 \cdot b = 16 \cdot a \cdot \tan 22.5^\circ$ $a = r \cdot \cos 22.5^\circ$ $b = 2r \cdot \sin 22.5^\circ$	<p>Internal angle <math>\alpha = 135^\circ</math></p> <p>External angle <math>\beta = 45^\circ</math></p> <p>Number of diagonals <math>ND = 20</math></p>
<p>Regular polygon (<math>n</math> sides)</p> 	$A = \frac{n \cdot a \cdot b}{2} = n \cdot a^2 \cdot \tan \frac{180^\circ}{n}$ $P = n \cdot b = 2n \cdot a \cdot \tan \frac{180^\circ}{n}$ $a = r \cdot \cos \frac{180^\circ}{n} \quad b = 2r \cdot \sin \frac{180^\circ}{n}$	<p>Internal angle :</p> $\alpha = \frac{(n-2) \cdot 180^\circ}{n}$ <p>External angle :</p> $\beta = 180^\circ - \alpha$ <p>Number of diagonals :</p> $ND = \frac{n \cdot (n-3)}{2}$
<p>Circle</p> 	$A = \pi r^2$ $P = 2\pi r$	
<p>Circular sector</p> 	$A = \pi r^2 \frac{\alpha}{360^\circ}$ $L = \pi r \frac{\alpha}{180^\circ}$ $P = 2r + L$	<p><math>\alpha</math> is expressed in sexagesimal degrees</p>

Circular segment




$$A = r^2 \left( \frac{\pi \alpha}{360^\circ} - \frac{\sin \alpha}{2} \right)$$

$$h = r \left( 1 - \cos \frac{\alpha}{2} \right) \quad c = 2r \sin \frac{\alpha}{2} \quad L = \pi r \frac{\alpha}{180^\circ}$$

$$P = L + c, \quad r = \frac{h}{2} + \frac{c^2}{8h} \quad \alpha \text{ is expressed in sexagesimal degrees}$$


Circular triangle



$$A = r^2 \frac{\sin \alpha}{2} \quad c = 2r \sin \frac{\alpha}{2}$$

$$P = 2r + c \quad \alpha \text{ is expressed in sexagesimal degrees}$$

Circular trapezoid




$$A = \pi (R^2 - r^2) \frac{\alpha}{360^\circ}$$

$$P = 2\pi (R + r) \frac{\alpha}{360^\circ} + 2(R - r)$$

$$\alpha \text{ is expressed in sexagesimal degrees}$$


Annulus



$$A = \pi (R^2 - r^2)$$

$$P = 2\pi (R + r)$$

Ellipse




$$A = \pi a \cdot b$$

$$P \cong \pi (a + b)$$

$$P = 4 \int_0^{\pi/2} \sqrt{a^2 \sin^2 t + b^2 \cos^2 t} dt$$

## Solid shapes

Cube (hexahedron)




$$A = 6a^2$$

$$A_{FACE} = a^2$$

$$V = a^3$$


Right prism



$$A = 2a \cdot b + 2a \cdot c + 2b \cdot c$$

$$V = a \cdot b \cdot c$$

Cylinder




$$A_{TOTAL} = 2\pi r(h + r)$$

$$A_{BASES} = 2\pi r^2$$

$$A_{LATERAL} = 2\pi r \cdot h$$

$$V = \pi \cdot r^2 \cdot h$$

Cone



$$A_{TOTAL} = \pi r \cdot g + \pi r^2$$


$$A_{BASE} = \pi r^2$$

$$A_{LATERAL} = \pi r \cdot g$$

$$V = \frac{\pi r^2 \cdot h}{3}$$

$$g^2 = h^2 + r^2$$

Pyramid




$$A_{TOTAL} = A_{LAT} + A_{BASE}$$

$$A_{LAT} = \frac{\text{Perimeter}_{BASE} \cdot h_c}{2}$$

$$V = \frac{A_{BASE} \cdot h}{3}$$


Sphere



$$A = 4\pi \cdot r^2$$

$$V = \frac{4\pi \cdot r^3}{3}$$

Spherical segment



$$A_{TOTAL} = A_{LATERAL} + A_{BASE}$$


$$A_{BASE} = \frac{\pi c^2}{4}$$

$$A_{LATERAL} = 2\pi r \cdot h = \frac{\pi}{4} (c^2 + 4h^2)$$

$$V = \frac{\pi h}{6} \left( \frac{3c^2}{4} + h^2 \right) = \pi h^2 \left( r - \frac{h}{3} \right)$$

$$r = \frac{h}{2} + \frac{c^2}{8h}$$

Torus




$$A = \pi^2 D \cdot d = \pi^2 (R^2 - r^2)$$

$$V = \frac{\pi^2}{4} D \cdot d^2 = \frac{\pi^2}{4} (R+r) \cdot (R-r)^2$$

$$D = R + r, \quad d = R - r$$

Tetrahedron



$$A = \sqrt{3} a^2$$


$$A_{FACE} = \frac{\sqrt{3}}{4} a^2$$

$$h_c = \frac{\sqrt{3}}{2} a$$

$$h = \frac{\sqrt{6}}{3} a$$

$$V = \frac{\sqrt{2}}{12} a^3$$

Octahedron




$$A = 2\sqrt{3} a^2$$

$$A_{FACE} = \frac{\sqrt{3}}{4} a^2$$

$$V = \frac{\sqrt{2}}{3} a^3$$

Dodecahedron




$$A = 3\sqrt{25 + 10\sqrt{5}} a^2$$

$$A_{FACE} = \frac{\sqrt{25 + 10\sqrt{5}}}{4} a^2$$

$$V = \frac{15 + 7\sqrt{5}}{4} a^3$$

Icosahedron



$$A = 5\sqrt{3} a^2$$

$$A_{FACE} = \frac{\sqrt{3}}{4} a^2$$

$$V = \frac{5}{12} (3 + \sqrt{5}) a^3$$